



### **“HEIRLOOM QUALITY”**

AL MAR KNIVES was founded upon the belief that quality and performance need not be compromised in a production knife. During our years in business AL MAR KNIVES has established a very special niche in the international world of cutlery. This has been achieved by dedicating ourselves to our products and to a level of quality that cannot be surpassed.

Choosing the right knife, whether for self-defense or sport, can make all the difference when the time comes to use it. This is why AL MAR KNIVES offers a wide variety of innovative designs that present a quiet but powerful statement.

AL MAR KNIVES are designed for those select individuals who refuse to follow the crowd. We offer pride of ownership in knives that have proven themselves time and time again. This is why leading international law enforcement, military, and special operations organizations rely on products that bear the AMK logo. We produce high quality products that meet real needs and provide lasting value.

A special thank you to all of our loyal dealers and customers, whose recognition of our product have made our continued success possible.

Sincerely,


**AL MAR KNIVES**

AL MAR  
President



AL MAR KNIVES . . . THE WARRIORS EDGE





	OSPREY	HAWK	FALCON	EAGLE
MODEL #:	1001WM	1002WM	1003WM	1005WM
STEEL:	R530	R530	R530	R530
BLADE LENGTH:	1-5/8" / 41MM	2-7/16" / 62MM	3" / 75MM	4" / 101MM
BLADE THICKNESS:	1/16" / 2MM	1/16" / 2MM	1/16" / 2MM	3/32" / 3MM
HANDLE MATERIAL:	WM	WM	WM	WM
OAL:	3-3/4" / 94MM	5-3/4" / 145MM	7" / 178MM	8-7/8" / 225MM



	OSPREY	HAWK	FALCON
MODEL #:	1001SS	1002SS	1003SS
STEEL:	6A	6A	6A
BLADE LENGTH:	1-5/8" / 41MM	2-7/16" / 62MM	3" / 75MM
BLADE THICKNESS:	1/16" / 2MM	1/16" / 2MM	1/16" / 2MM
HANDLE MATERIAL:	SS	SS	SS
OAL:	3-3/4" / 94MM	5-3/4" / 145MM	7" / 178MM

	OSPREY	HAWK	FALCON
MODEL #:	1001TW	1002TW	1003TW
STEEL:	6A	6A	6A
BLADE LENGTH:	1-5/8" / 41MM	2-7/16" / 62MM	3" / 75MM
BLADE THICKNESS:	1/16" / 2MM	1/16" / 2MM	1/16" / 2MM
HANDLE MATERIAL:	TW	TW	TW
OAL:	3-3/4" / 94MM	5-3/4" / 145MM	7" / 178MM



BRIDGE HORSE S.C.





	HAWK	FALCON
MODEL #:	1002SR	1003SR
STEEL:	6A	6A
BLADE LENGTH:	2-7/16" / 62MM	2" / 73MM
BLADE THICKNESS:	1/16" / 2MM	1/16" / 2MM
HANDLE MATERIAL:	BN	BN
OAL:	5-3/4" / 145MM	7" / 178MM

	EAGLE	FALCON
MODEL #:	1005TS	1001TS
STEEL:	6A	6A
BLADE LENGTH:	4" / 101MM	3" / 75MM
BLADE THICKNESS:	3/32" / 3MM	1/16" / 2MM
HANDLE MATERIAL:	SS	SS
OAL:	8-7/8" / 225MM	7" / 178MM



GENERAL NGHTAN  
DESIGNER AND BUILDER  
OF THE GREAT WALL

HAWK

EAGLE

FALCON



	HAWK	FALCON	EAGLE
MODEL #:	1002TAL	1003TAL	1005TAL
STEEL:	6A	6A	6A
BLADE LENGTH:	2-7/16" / 62MM	2" / 75MM	4" / 101MM
BLADE THICKNESS:	1/16" / 2MM	1/16" / 2MM	3/32" / 3MM
HANDLE MATERIAL:	GM	GM	GM
OAL:	5-3/4" / 145MM	7" / 178MM	8-7/8" / 225MM

EAGLE

MODEL #:	1005BTAL
STEEL:	6A
BLADE LENGTH:	4" / 101MM
BLADE THICKNESS:	3/32" / 3MM
HANDLE MATERIAL:	GM
OAL:	8-7/8" / 225MM

FALCON

EAGLE

MODEL #:	1005TB	1003TB
STEEL:	6A	6A
BLADE LENGTH:	3" / 75MM	4" / 101MM
BLADE THICKNESS:	1/16" / 2MM	3/32" / 3MM
HANDLE MATERIAL:	BT	BT
OAL:	7" / 178MM	8-7/8" / 225MM

FALCON

EAGLE

FALCON



SHOU "LONG LIFE"



	QUICKSILVER MODEL I	QUICKSILVER MODEL II	QUICKSILVER MODEL III	QUICKSILVER V "JUMBO"
MODEL #:	2001	2002	2003	2005
STEEL:	6A	6A	6A	6A
BLADE LENGTH:	3-7/16" / 87MM	3-7/16" / 87MM	3-7/16" / 87MM	5-7/8" / 148MM
BLADE THICKNESS:	1/8" / 3.5MM	1/8" / 3.5MM	1/8" / 3.5MM	1/8" / 3.5MM
HANDLE MATERIAL:	SS	SS	SS	BZ
OAL:	7-7/8" / 200MM	7-7/8" / 200MM	7-7/8" / 200MM	12-3/4" / 320MM

MODEL I

MODEL II

MODEL III

V "JUMBO"



**QUICKSILVER IV QUICKCLIP**

MODEL #:	2004
STEEL:	6A
BLADE LENGTH:	3-7/16" / 87MM
BLADE THICKNESS:	1/8" / 3.5MM
HANDLE MATERIAL:	SS
OAL:	9-1/2" / 240MM

IV QUICKCLIP



	SERE I	SERE I	SERE I	SERE II
MODEL #:	3001A	3001B	3001WM	3002A
STEEL:	6A	6A	6A	6A
BLADE LENGTH:	2-7/8" / 75MM	2-7/8" / 73MM	2-7/8" / 73MM	3-3/8" / 85MM
BLADE THICKNESS:	3/32" / 3MM	3/32" / 3MM	3/32" / 3MM	1/8" / 3.5MM
HANDLE MATERIAL:	GM	BN	WM	GM
OAL:	6-3/4" / 167MM	6-3/4" / 167MM	6-3/4" / 167MM	7-7/8" / 200MM

	SERE II	SERE/ATTACK	SERE/ATTACK	SERE IV
MODEL #:	3002B	3003A	3003B	3004A
STEEL:	6A	6A	6A	6A
BLADE LENGTH:	3-3/8" / 85MM	4-3/8" / 110MM	4-3/8" / 110MM	5-7/8" / 150MM
BLADE THICKNESS:	1/8" / 3.5MM	5/32" / 4MM	5/32" / 4MM	5/32" / 4MM
HANDLE MATERIAL:	BN	GM	BN	GM
OAL:	7-7/8" / 200MM	10-1/8" / 258MM	10-1/8" / 258MM	10-1/2" / 267MM

	SERE V	SERE VI	SERE VII	SERE VIII
MODEL #:	3005A	3006B	3007A	3008A
STEEL:	6A	6A	6A	6A
BLADE LENGTH:	5-7/8" / 150MM	5-7/8" / 150MM	7-1/8" / 181MM	7-1/8" / 181MM
BLADE THICKNESS:	5/32" / 4MM	5/32" / 4MM	3/16" / 5MM	3/16" / 5MM
HANDLE MATERIAL:	GM	BN	GM	GM
OAL:	10-1/2" / 267MM	10-1/2" / 267MM	12-1/2" / 320MM	12-1/2" / 320MM

SERE I

SERE I

SERE V


SERE VI





	GAMESKEEPER	GAMESKEEPER	DENALI I	DENALI II
MODEL #:	3501BM	3501GM	3502	3503
STEEL:	6A	6A	6A	6A
BLADE LENGTH:	3-5/8" / 93MM	3-5/8" / 93MM	2-7/8" / 73MM	2-7/8" / 73MM
BLADE THICKNESS:	1/8" / 3.5MM	1/8" / 3.5MM	1/8" / 3.5MM	1/8" / 3.5MM
HANDLE MATERIAL:	BM	GM	W	W
OAL:	8-1/4" / 208MM	8-1/4" / 208MM	6-3/4" / 171MM	6-3/4" / 171MM

DENALI



GAMESKEEPER



THAT THOUSAND YEAR OLD SWORD




	AF/AMB RTK	AF/AMB CK	SMATCHET	SMATCHET
MODEL #:	4001	4002W	4015A	4015B
STEEL:	6-1/2" / 167MM	6A	6A	6A
BLADE LENGTH:	7-1/6" / 125MM	6-1/4" / 158MM	10" / 256MM	10" / 256MM
BLADE THICKNESS:	11-1/2" / 291MM	3/16" / 5MM	3/16" / 5MM	3/16" / 5MM
HANDLE MATERIAL:	W	W	B2	GM
OAL:		11-1/4" / 290MM	15-3/4" / 400MM	15-3/4" / 400MM

AF/AMB CK



AF/AMB RTK



SMATCHET




CHINESE CIVIL









2074 6MM



SF/SOG



SF/SOG



SF-10


	SF/SOG	SF/SOG	SF-10
MODEL #	400A1	400B1	4010
STEEL	6A	6A	6A
BLADE LENGTH	6-3/8" / 170MM	9" / 230MM	10" / 255MM
BLADE THICKNESS	1/4" / 6.5MM	1/4" / 6.5MM	1/4" / 6.5MM
HANDLE MATERIAL	BM	BM	CWS
OAL	12" / 305MM	13" / 330MM	15-3/8" / 395MM



CHINA



BOWIE "ALASKAN"





AMK S/F

	BOWIE "ALASKAN"	AMK S/F
MODEL #	4000	4016
STEEL	6A	6A
BLADE LENGTH	12" / 305MM	7-1/8" / 180MM
BLADE THICKNESS	1/4" / 6.5MM	1/8" / 3.5MM
HANDLE MATERIAL	BT	BCS
OAL	17-1/4" / 432MM	12" / 305MM



	QUEST I	QUEST II	QUEST III	QUEST IV	QUEST V "Hamaguri"
MODEL #:	4011A	4011B	4011C	4011D	4011E
STEEL:	6A	6A	6A	6A	6A
BLADE LENGTH:	14" / 350MM	14" / 350MM	10" / 253MM	10" / 253MM	12" / 300MM
BLADE THICKNESS:	1/16" / 5MM	1/16" / 5MM	1/8" / 6.5MM	1/8" / 6.5MM	1/4" / 6.5MM
HANDLE MATERIAL:	BZ	BZ	BN	BN	BN
OAL:	19-3/8" / 490MM	19-3/8" / 490MM	15-1/4" / 383MM	15-1/4" / 383MM	17-1/4" / 412MM



	FANG I	FANG II	SPECIAL WARFARE I	SPECIAL WARFARE II
MODEL #:	5001	5001B	3101	3102
STEEL:	6A	6A	6A	6A
BLADE LENGTH:	3-5/8" / 92MM	5-1/2" / 140MM	6" / 152MM	7-1/2" / 190MM
BLADE THICKNESS:	1/8" / 3.5MM	3/32" / 4MM	1/4" / 6.5MM	1/4" / 6.5MM
HANDLE MATERIAL:	BM	BM	ST	ST
OAL:	6-3/4" / 171MM	10-1/8" / 256MM	11" / 278MM	13-1/4" / 333MM





TALISMAN



TALISMAN



SPORTSMAN AW



WOODSMAN AW



	TALISMAN	TALISMAN	SPORTSMAN AW	WOODSMAN AW
MODEL #:	60025	60025W	6003	6005
STEEL:	A1524	A1524	A1524	A1524
BLADE LENGTH:	2-1/2" / 64MM	2-1/2" / 64MM	3-1/2" / 89MM	4-3/8" / 117MM
BLADE THICKNESS:	1/16" / 2MM	1/16" / 2MM	3/32" / 3MM	1/8" / 3.3MM
HANDLE MATERIAL:	BZ	BZ/W	BZ	BZ
OAL:	5-3/4" / 145MM	5-3/4" / 145MM	8-1/8" / 207MM	10-1/2" / 267MM




"Z" PACK

"Z" PACK

MODEL #:	6003	60035W
STEEL:	A1524	A1524
BLADE LENGTH:	3-1/2" / 89MM	3-1/2" / 89MM
BLADE THICKNESS:	3/32" / 3MM	1/8" / 3MM
HANDLE MATERIAL:	BZ	BZ
OAL:	8-1/8" / 207MM	8-1/4" / 210MM

"Z" PACK



萬里長城


"THE TEN THOUSAND MILE LONG WALL"






	FISHERMAN	ANGLER	BULLDOG
MODEL #:	6004AW	4107	9006
STEEL:	ATS34	6A	6A
BLADE LENGTH:	4-5/8" / 117MM	5-1/4" / 97MM	2-1/8" / 55MM
BLADE THICKNESS:	1/8" / 3.5MM	3/32" / 3MM	3/32" / 3MM
HANDLE MATERIAL:	BZ	BZ	BZ
OAL:	10-1/2" / 267MM	9-1/2" / 242MM	5-1/8" / 131MM

FISHERMAN



ANGLER



MINI  
BULLDOG



YEAR OF THE MONKEY

15



	SERE II BORDER PATROL	SERE II LAW ENFORCEMENT	SPORTSMAN LE	WOODSMAN LE
MODEL #:	3002BP	3002LE	6003LE	6005LE
STEEL:	6A	6A	ATS34	ATS34
BLADE LENGTH:	3-3/8" / 83MM	3-1/8" / 85MM	3-3/4" / 96MM	4-5/8" / 117MM
BLADE THICKNESS:	1/8" / 3.5MM	1/8" / 3.5MM	3/32" / 3MM	1/8" / 3.5MM
HANDLE MATERIAL:	G5	BZ	BZ	BZ
OAL:	7-7/8" / 200MM	7-7/8" / 200MM	8-1/8" / 207MM	10-1/2" / 267MM

SERE II BORDER PATROL



WOODSMAN LE



SPORTSMAN LE



TERRACOTTA SOLDIER BC


16







ORNAMENTAL BRONZE DRAGON



SHADOW I

SHADOW IV

SHADOW I

SHADOW IV


MODEL #: 6101  
 STEEL: 6A  
 BLADE LENGTH: 4-3/4" / 122MM  
 BLADE THICKNESS: 1/16" / 5MM  
 HANDLE MATERIAL: BZ  
 OAL: 9-1/8" / 230MM

MODEL #: 6104  
 STEEL: 6A  
 BLADE LENGTH: 7-7/8" / 199MM  
 BLADE THICKNESS: 1/4" / 6.3MM  
 HANDLE MATERIAL: BZ  
 OAL: 13-1/2" / 340MM



	ELITE	VAGABOND
--	-------	----------

MODEL #:	6105	6106
STEEL:	6A	6A
BLADE LENGTH:	4-3/4" / 119MM	4" / 111MM
BLADE THICKNESS:	1/32" / 1MM	1/32" / 1MM
HANDLE MATERIAL:	BZ	BN
OAL:	8-1/4" / 210MM	9" / 230MM



ELITE

VAGABOND




BRONZE SWORD I/C






**STINGER KEY CHAIN**  
 MODEL #: 7001  
 STEEL: 6A  
 BLADE LENGTH: 1-7/16" / 37MM  
 BLADE THICKNESS: 1/16" / 2MM  
 HANDLE MATERIAL: BZ  
 OAL: 2-9/16" / 73MM



**BUCKLE KNIFE**  
 MODEL #: 7002  
 STEEL: 6A  
 BLADE LENGTH: 2" / 52MM  
 BLADE THICKNESS: 3/32" / 3MM  
 HANDLE MATERIAL: BZ/S  
 OAL: 3" / 76MM



THE LITZ SCALD




	<b>GUNSTOCK I</b>	<b>GUNSTOCK V</b>	<b>PUSH DAGGER "SNUBBY"</b>	<b>MINI-BOWIE</b>	<b>BOOT KNIFE</b>
MODEL #:	8501	8505	8506	8507	8508
STEEL:	6A	6A	6A	6A	6A
BLADE LENGTH:	3-5/8" / 92MM	4-1/2" / 113MM	2-1/8" / 51MM	5-1/8" / 130MM	5-1/8" / 130MM
BLADE THICKNESS:	1/8" / 3.5MM	3/16" / 5MM	3/16" / 5MM	3/16" / 5MM	3/16" / 5MM
HANDLE MATERIAL:	BT	BT	GT	GT	GT
OAL:	8-1/4" / 208MM	9-3/4" / 245MM	5-1/2" / 140MM	9-1/2" / 240MM	9-1/2" / 240MM



GUNSTOCK I

GUNSTOCK V

"SNUBBY" PUSH DAGGER



MINI-BOWIE

BOOT KNIFE





**APU ALL PURPOSE UTILITY**

MODEL #: 4102  
 STEEL: 6A  
 BLADE LENGTH: 5-7/8" / 148MM  
 BLADE THICKNESS: 3/16" / 5MM  
 HANDLE MATERIAL: BM  
 OAL: 10-1/2" / 267MM

**SIDEKICK TW**

8601TW  
 6A  
 4-1/2" / 114MM  
 3/16" / 5MM  
 GT  
 8-5/8" / 223MM

**SIDEKICK SM**

8601SM  
 6A  
 4-1/2" / 114MM  
 3/16" / 5MM  
 SM  
 8-5/8" / 223MM



THEATER MASK

APU ALL PURPOSE UTILITY

SIDEKICK TW

SIDEKICK SM

**GRUNT I**

MODEL #: 4020  
 STEEL: 6A  
 BLADE LENGTH: 5-1/8" / 130MM  
 BLADE THICKNESS: 1/8" / 3.2MM  
 HANDLE MATERIAL: L  
 OAL: 9-3/4" / 247MM

**GRUNT II**

4021  
 6A  
 7-1/4" / 190MM  
 3/16" / 5MM  
 L  
 13" / 330MM

**GRUNT I GM**

4021GM  
 6A  
 7-3/4" / 198MM  
 3/16" / 5MM  
 GM  
 13" / 330MM



REFLECTING SWORD

GRUNT II

GRUNT I

GRUNT I GM





**TANKEN UTILITY-TW**

MODEL #: 4101  
 STEEL: 6A  
 BLADE LENGTH: 4-3/4" / 121MM  
 BLADE THICKNESS: 1/8" / 3.5MM  
 HANDLE MATERIAL: GT  
 OAL: 9-3/4" / 248.5MM

**TANKEN SHUGOTO-II**

MODEL #: 4110  
 STEEL: 6A  
 BLADE LENGTH: 20" / 253MM  
 BLADE THICKNESS: 3/16" / 5MM  
 HANDLE MATERIAL: JM  
 OAL: 15-5/8" / 393MM

TANKEN UTILITY TW



TANKEN SHUGOTO II



"UME SYMBOL OF HORSE"


25



TERRACOTTA ARCHER

**WARRIOR**

MODEL #: 4103  
 STEEL: 6A  
 BLADE LENGTH: 7-1/4" / 184  
 BLADE THICKNESS: 1/4" / 6.5MM  
 HANDLE MATERIAL: BN  
 OAL: 11" / 305MM



WARRIOR

26





**FALCON  
(ATS34)**      **FALCON  
(ATS34)**

MODEL #:	1001M	1001M
STEEL:	ATS34	ATS34
BLADE LENGTH:	3" / 75MM	3" / 75MM
BLADE THICKNESS:	1/16" / 2MM	1/16" / 2MM
HANDLE MATERIAL:	BM	BM
OAL:	7" / 178MM	7" / 178MM



FERRUCITA HORSE B&C



FALCON (ATS34)

FALCON (ATS34)

**OSPREY BM**      **OSPREY GM**      **OSPREY DB**      **OSPREY AB**      **OSPREY ST**

MODEL #:	1001BM	1001GM	1001DB	1001AB	1001S
STEEL:	RS30	RS30	RS30	RS30	RS30
BLADE LENGTH:	1-5/8" / 41MM	1-5/8" / 41MM	1-5/8" / 41MM	1-5/8" / 41MM	1-5/8" / 41MM
BLADE THICKNESS:	1/16" / 2MM	1/16" / 2MM	1/16" / 2MM	1/16" / 2MM	1/16" / 2MM
HANDLE MATERIAL:	BM	GM	DB	AB	ST
OAL:	3-3/4" / 94MM	3-3/4" / 94MM	3-3/4" / 94MM	3-3/4" / 94MM	3-3/4" / 94MM


**OSPREY P**      **OSPREY BP**      **HAWK ST**      **HAWK P**      **HAWK BP**

MODEL #:	1001P	1001BP	1002S	1002P	1001BP
STEEL:	RS30	RS30	RS30	RS30	RS30
BLADE LENGTH:	1-5/8" / 41MM	1-5/8" / 41MM	2-7/16" / 62MM	2-7/16" / 62MM	2-7/16" / 62MM
BLADE THICKNESS:	1/16" / 2MM	1/16" / 2MM	1/16" / 2MM	1/16" / 2MM	1/16" / 2MM
HANDLE MATERIAL:	P	BP	ST	P	BP
OAL:	3-3/4" / 94MM	3-3/4" / 94MM	3-3/4" / 145MM	3-3/4" / 145MM	3-3/4" / 145MM

**FALCON ST**      **FALCON P**      **\*EAGLE ST**

MODEL #:	1002S	1002P	1005S
STEEL:	RS30	RS30	RS30
BLADE LENGTH:	3" / 75MM	3" / 75MM	4" / 101MM
BLADE THICKNESS:	1/16" / 2MM	1/16" / 2MM	3/32" / 3MM
HANDLE MATERIAL:	ST	P	ST
OAL:	7" / 178MM	7" / 178MM	8-7/8" / 225MM

\*LIMITED AVAILABILITY



OSPREY DB

HAWK ST

FALCON P

EAGLE ST



